Hand Knits by Berlin

Opening Night... The sweater that will steal the spotlight wherever it makes its appearance... No 456 Page 32

BOOK No. 125 - - - - - - PRICE 25 CENTS

Hand Knits

The Aristocrats of the Fashion World

Here all in one book Beehive presents a new collection of sterling wool aristocrats. The soft feminine blouse, rugged outdoor sweater or cardigan, tweedy twins, or rich glamour for evening, all have that important fine quality of design and workmanship worthy of your precious time. From a rainbow of color, choose subtle or brilliant tones found only in these fine imported British yarns.

by Beehive

LACY SOFT SWEATER

No. 455--Sizes 12-14-16

What You Need:

BEEHIVE FAIR ISLE SHETLAND *(1 oz. skeins).*

Sizes 12 or 14 – 5 skeins. **Size 16** – 6 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 3.

Sizes	12	14	16
Measurements for Blocking Garment:			
Bust	31″	33″	35″
Across back or front at underarm	15½″	16½″	17½″
Length from shoulder to lower edge	19″	19½″	20″
Side seam	12″	12″	12½″
Sleeve seam	4″	4″	4″
Across sleeve at upperarm	12″	12½″	12½″

GAUGE: 8 sts make 1 inch; 9 rows make 1 inch.

PATTERN STITCH (a multiple of 6 plus 5 sts) . . . **1st row:** K 1, * k 3, p 3. Repeat from * across, ending with k 4. **2nd row:** K 1, * p 3, k 3. Repeat from * across, ending with k 1. **3rd and 4th rows:** Repeat 1st and 2nd rows respectively. **5th row:** K 1, * yarn over, slip 1, k 2 together, pass slipped st over knit st, yarn over, k 3. Repeat from * across, ending with yarn over, k 1. **6th, 7th and 8th rows:** Repeat 1st, 2nd and 1st rows respectively. **9th row:** K 4, * yarn over, slip 1, k 2 together, pass slipped st over knit st, yarn over, k 3. Repeat from * across, ending with yarn over, k 4. **10th,**

Continued on page 34

 Copyright 1943, Patons & Baldwins, Inc. Fourth Edition. Printed in U.S.A.

A Necessary War Measure:

We regret that we are compelled to ask you to be patient if you are unable to find all the Beehive yarns you want. The usual plentiful supply of these fine imported wools has been curtailed, due to the manpower shortage in Great Britain. We know you will be glad to cooperate at this time, and "*Share the Yarn*" for Victory!

SHETLAND STANDBY

No. 416--Sizes 12-14-16-18-20

What You Need:

BEEHIVE REAL SHETLAND WOOL, 2 Ply (*1 oz. skeins*).

Size 12 — 7 skeins. **Size 18** — 9 skeins.

Sizes 14 and 16 — 8 skeins. **Size 20** — 10 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 2 and 1 pair No. 4.

Sizes	12	14	16	18	20
Measurements for Blocking Garment:					
Bust	31″	33″	35″	37″	39″
Across back or front at underarm	15½″	16½″	17½″	18½″	19½″
Length from shoulder to lower edge	23″	23½″	24″	24½″	25″
Side seam	16½″	16½″	17″	17″	17½″
Sleeve seam	20″	20½″	21″	21½″	21½″
Across sleeve at upperarm	13″	13¾″	13¾″	14½″	14½″
GAUGE: 7 sts make 1 inch; 9 rows make 1 inch.					
Sizes	**12**	**14**	**16**	**18**	**20**
Front and Back are worked in one piece with no seam on shoulders. Starting at lower edge of Front, with No. 2 needles cast on	**108 sts**	**116 sts**	**122 sts**	**128 sts**	**136 sts**
Work in ribbing of k 2, p 2, for	2¼″	2¼″	2½″	2½″	2½″
Change to No. 4 needles and work in stockinette st (knit 1 row, purl 1 row) until piece measures in all	16½″	16½″	17″	17″	17½″
To shape Armholes: Bind off at beginning of next 2 rows	**4 sts**	**5 sts**	**6 sts**	**6 sts**	**9 sts**
Decrease 1 st at both ends of every 4th row	**5 times**	**6 times**	**6 times**	**7 times**	**7 times**
Work straight over these	**90 sts**	**94 sts**	**98 sts**	**102 sts**	**104 sts**
until piece measures from 1st row of armhole shaping	4½″	5″	5″	5½″	5½″
To shape neck, work as follows: **1st row:** (Right side facing) Knit	**23 sts**	**24 sts**	**26 sts**	**27 sts**	**28 sts**
k 2 together, knit next	**40 sts**	**42 sts**	**42 sts**	**44 sts**	**44 sts**
slip 1, k 1, pass slipped st over knit st, knit remaining	**23 sts**	**24 sts**	**26 sts**	**27 sts**	**28 sts**
2nd row: Purl across. **3rd row:** Knit	**22 sts**	**23 sts**	**25 sts**	**26 sts**	**27 sts**
k 2 together, k 3, bind off for front of neck the next	**34 sts**	**36 sts**	**36 sts**	**38 sts**	**38 sts**
k 3, slip 1, k 1, pass slipped st over knit st, knit remaining	**22 sts**	**23 sts**	**25 sts**	**26 sts**	**27 sts**
Turn and work over this last set of sts only as follows: **Next row:** Purl across. **Following row:** K 3, slip 1, k 1, pass slipped st over knit st, knit remaining	**21 sts**	**22 sts**	**24 sts**	**25 sts**	**26 sts**
Work in stockinette st, increasing 1 st at armhole edge on next knit row and again on the 6th row following. Work straight on these	**27 sts**	**28 sts**	**30 sts**	**31 sts**	**32 sts**
until piece measures from 1st row of armhole shaping, ending with a purl row,	6½″	7″	7″	7½″	7½″
This completes right shoulder. Leave these sts on the needle, break off yarn, attach yarn at opposite neck edge and work other shoulder as follows: **1st row:** Purl across. **2nd row:** Knit to 5 sts from end of row, then k 2 together, k 3. Continue to work to correspond with right shoulder, ending with a knit row. Do not turn; cast on for back of neck	**36 sts**	**38 sts**	**38 sts**	**40 sts**	**40 sts**
and work across the sts of right shoulder. There are now on needle	**90 sts**	**94 sts**	**98 sts**	**102 sts**	**104 sts**
Work 11 rows in garter st (knit each row). Then work in stockinette st until piece measures 4½ inches from back of neck. Increase 1 st at both ends of next row and every 4th row thereafter	**4 more times**	**5 more times**	**5 more times**	**6 more times**	**6 more times**
Work 3 rows after last increase row. Cast on at the end of the next 2 rows	**4 sts**	**5 sts**	**6 sts**	**6 sts**	**9 sts**
There are on needle	**108 sts**	**116 sts**	**122 sts**	**128 sts**	**136 sts**
Work straight for	14¼″	14¼″	14½″	14½″	15″

Change to No. 2 needles and work in ribbing of k 2, p 2, for 2¼" 2¼" 2½" 2½" 2½"
Bind off loosely in ribbing.

BACK NECKBAND . . . With right side facing, using No. 2 needles, pick up across back of neck
38 sts 40 sts 40 sts 42 sts 42 sts
Work in ribbing of k 2, p 2, for 1 inch. Bind off loosely in ribbing.

FRONT NECKBAND . . . With right side facing, using No. 2 needles, pick up around neck edge
70 sts 72 sts 72 sts 74 sts 74 sts
Work as for Back Neckband.

SLEEVES . . . With right side facing, using No. 4 needles, pick up around armhole edge
90 sts 96 sts 96 sts 102 sts 102 sts

Work straight in stockinette st for 2 inches. Decrease 1 st at both ends of next row and every inch thereafter until there remain
66 sts 72 sts 72 sts 78 sts 78 sts

Work straight until sleeve measures in all
16½" 17" 17" 17½" 17½"

Decrease evenly across next row to
58 sts 62 sts 62 sts 66 sts 66 sts

Change to No. 2 needles and work tightly in ribbing of k 2, p 2, for
3½" 3½" 4" 4" 4"
Bind off loosely in ribbing.

Press sweater lightly on wrong side through a damp cloth. Sew underarm and sleeve seams with one continuous seam. Sew seam of neckband.

TWEED-KNIT JACKET

No. 457--Sizes 12-14-16-18

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 4 Ply *(1 oz. skeins).*

Size 12 — 7 skeins each of a light and a dark color.

Size 14 — 8 skeins each of a light and a dark color.

Size 16 — 8 skeins each of a light and a dark color.

Size 18 — 9 skeins each of a light and a dark color.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 3.

5 buttons covered with fabric.

⅜ yard of fabric 54 inches wide.

Shoulder pads.

Sizes	**12**	**14**	**16**	**18**
Measurements for Blocking Garment:				
Bust (after buttoning)	**31″**	**33″**	**35″**	**37″**
Width across back at underarm	**15½″**	**16½″**	**17½″**	**18½″**
Width across each front at underarm	**8½″**	**9″**	**9½″**	**10″**
Length from top of shoulder	**22″**	**22½″**	**23″**	**23½″**
Side seam	**15″**	**15″**	**15½″**	**15½″**
Sleeve seam	**16½″**	**17″**	**17½″**	**18″**
Across sleeve at upperarm	**12½″**	**13″**	**13″**	**13½″**

GAUGE: 7 sts make 1 inch; 10 rows make 1 inch.

PATTERN STITCH (a multiple of 3 sts) . . . 1st row: With dark color, k 3, pass 1st knit st over other 2 knit sts, * yarn over, k 3, pass 1st knit st over other 2 knit sts. Repeat from * across. **2nd row:** With Dark purl across. Drop dark color. **3rd row:** With light color, k 1, * yarn over, k 3, pass 1st knit st over other 2 knit sts. Repeat from * across, ending with yarn over, k 1. **4th row:** With Light purl across. Drop light color. Repeat these 4 rows for pattern. **Note:** There is 1 st less in the dark stripe than in the light stripe.

Sizes	**12**	**14**	**16**	**18**
BACK . . . With dark color cast on	**90 sts**	**96 sts**	**102 sts**	**108 sts**
Work in **Pattern Stitch** until piece measures in all, ending with a knit row	**8″**	**8″**	**8½″**	**8½″**
Increase 1 st at both ends of next row and every 8th row thereafter 5 more times. Work straight in pattern until piece measures in all, ending with 2nd row of a dark stripe	**15″**	**15″**	**15½″**	**15½″**
To Shape Armholes: Bind off 6 sts at beginning of next 2 rows. Work 2 rows straight. Bind off 3 sts at beginning of next 2 rows. Repeat the last 4 rows once more. Work straight until piece measures from 1st row of armhole shaping	**6½″**	**7″**	**7″**	**7½″**
To shape shoulders, bind off at beginning of next 6 rows	**8 sts**	**9 sts**	**10 sts**	**11 sts**
Bind off remaining sts for back of neck.				

POCKET LINING (Make 2) . . . With dark color cast on 36 sts. Work in **Pattern Stitch** for 5 inches, ending with the 2nd row of a dark stripe. Place sts on a stitch holder.

LEFT FRONT . . . With dark color cast on	**54 sts**	**57 sts**	**60 sts**	**63 sts**
Work in **Pattern Stitch** until piece measures 5 inches, ending with the 1st row of a dark stripe. **Next row:** Purl across	**12 sts**	**12 sts**	**15 sts**	**18 sts**
Bind off the next 35 sts, purl across remaining sts.				
Following row: Work in pattern across to bound-off sts, ending with k 2. Then knit 1 st of Pocket Lining, pass the 1st knit st over the other 2 knit sts, yarn over and continue in pattern across Pocket Lining, ending with yarn over, k 1. Then k 2 on Front, pass the knit st of Pocket Lining over the 2 knit sts of Front, yarn over and continue in pattern across remainder of row. There are on row	**54 sts**	**57 sts**	**60 sts**	**63 sts**
Continue working in pattern until piece measures in all, ending with a knit row	**8″**	**8″**	**8½″**	**8½″**
Increase 1 st at end of next row and every 8th row thereafter 5 more times. Work straight in pattern				

Continued on page 34

Tailored two-color jacket with contrasting fabric detail... perfect for your sports wardrobe.

CAREER GIRL CARDIGAN

No. 451--Sizes 16-18-38-40-42-44

What You Need:

BEEHIVE SCOTCH FINGERING, 3 Ply *(1 oz. skeins).*

Size 16 – 7 skeins. **Sizes 40 and 42** – 9 skeins.

Sizes 18 and 38 – 8 skeins. **Size 44** – 10 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 4.

5 buttons for each size.

Sizes	16	18	38	40	42	44
Measurements for Blocking Garment:						
Bust	35″	37″	39″	41″	43″	45″
Across back at underarm	17½″	18½″	19½″	20½″	21½″	22½″
Across each front at underarm	9¼″	9¾″	10¼″	10¾″	11¼″	11¾″
Across back between shoulders	13″	13½″	14″	14½″	15″	15½″
Shoulder to lower edge	21″	21½″	22″	22½″	23″	23½″
Depth of back armhole	5½″	6″	6″	6½″	6½″	7″
Depth of front armhole	8½″	9″	9″	9½″	9½″	10″
Side seam	13″	13″	13½″	13½″	14″	14″
Sleeve seam	18″	18½″	18½″	19″	19″	19½″
Across sleeve at upperarm	13″	13½″	13½″	14½″	14½″	15″

GAUGE: (STOCKINETTE STITCH) 7 sts make 1 inch; 9 rows make 1 inch.

Sizes	16	18	38	40	42	44
BACK . . . Starting at bottom with No. 1 needles, cast on	122 sts	130 sts	136 sts	144 sts	150 sts	158 sts
Work in ribbing of k 2, p 2, for	4½″	4½″	5″	5″	5″	5″
Change to No. 4 needles and work in stockinette st (knit 1 row, purl 1 row) until piece measures in all	13″	13″	13½″	13½″	14″	14″
To Shape Armholes: Bind off at beginning of next 2 rows	7 sts	7 sts	8 sts	8 sts	8 sts	8 sts
Bind off 2 sts at beginning of each row until there remain	100 sts	108 sts	112 sts	116 sts	122 sts	126 sts
Decrease 1 st at end of each row until there remain	90 sts	96 sts	98 sts	102 sts	108 sts	110 sts
Work straight until piece measures from 1st row of armhole shaping	5½″	6″	6″	6½″	6½″	7″
Shape shoulders by binding off 5 sts tightly at beginning of each row until there remain	60 sts	66 sts	68 sts	72 sts	78 sts	80 sts
Now bind off 3 sts tightly at beginning of each row until there remain for back of neck	36 sts	36 sts	38 sts	42 sts	42 sts	44 sts
Bind off.						
LEFT FRONT . . . Starting at bottom with No. 1 needles, cast on	65 sts	69 sts	73 sts	75 sts	79 sts	83 sts
1st row: *On sizes 16, 18 and 38 only,* k 2, then on all sizes, * p 2, k 2. Repeat from * across to last 7 sts, then (p 1, k 1) 3 times; p 1 (moss st border). **2nd row:** (P 1, k 1) 3 times; p 1 (moss st border), * p 2, k 2. Repeat from * across. Repeat these 2 rows until piece measures	4½″	4½″	5″	5″	5″	5″
Change to No. 4 needles and, keeping the 7 sts of front border in moss st, work in stockinette st until piece measures in all	11½″	11½″	12″	12″	12½″	12½″
For front shaping, decrease 1 st inside the 7 sts of the moss st border, on next row and every 4th row thereafter until 20 sts in all have been decreased at this edge (it is wise to mark each decrease to insure correct counting).						
HOWEVER, AT THE SAME TIME						
When piece measures in all, ending at side edge, shape armhole as follows: Starting at side edge bind off and finish row.	13″ 5 sts	13″ 5 sts	13½″ 7 sts	13½″ 7 sts	14″ 8 sts	14″ 8 sts
Now bind off 2 sts at armhole edge every other row	twice	twice	twice	twice	3 times	4 times
Decrease 1 st at armhole edge every other row	twice	3 times	4 times	5 times	5 times	6 times

When front and armhole shapings are complete there remain on needle

34 sts | 37 sts | 38 sts | 39 sts | 40 sts | 41 sts

Work straight until piece measures from 1st row of armhole shaping

8½" | 9" | 9" | 9½" | 9½" | 10"

Starting at armhole edge bind off loosely for shoulder

27 sts | 30 sts | 31 sts | 32 sts | 33 sts | 34 sts

For neckband work straight over the 7 sts of the moss st border for

2¼" | 2½" | 2½" | 2¾" | 2¾" | 3"

Bind off.

RIGHT FRONT . . . Work to correspond with Left Front, making a buttonhole 3 sts in from front edge when piece measures 1 inch and thereafter (measuring from the 1st buttonhole) every

1½" | 1½" | 1¾" | 1¾" | 2" | 2"

until 5 buttonholes in all are made—*to make a buttonhole, on 1 row bind off 3 sts (2 sts with No. 4 needles); on next row cast on same number as were bound off.*

SLEEVES . . . Starting at wrist with No. 1 needles cast on

56 sts | 60 sts | 60 sts | 64 sts | 64 sts | 68 sts

Work in ribbing of k 2, p 2, for 4½ inches. Change to No. 4 needles and work in stockinette st, increasing 1 st at both ends when piece measures 5 inches and thereafter every

5th row | 6th row | 6th row | 5th row | 5th row | 6th row

until there are on needle

90 sts | 94 sts | 94 sts | 102 sts | 102 sts | 106 sts

Work straight until piece measures in all

18" | 18½" | 18½" | 19" | 19" | 19½"

To shape top, bind off 6 sts at beginning of next 2 rows and 3 sts at beginning of next 2 rows. Decrease 1 st at end of each row until 58 sts remain. Bind off 2 sts at beginning of next 6 rows. Bind off 4 sts at beginning of each row until 22 sts remain. Bind off.

Pin pieces to measurements given. Press through damp cloth. Sew underarm and shoulder seams. Sew ends of neckband together and sew edge to back of neck. Sew sleeve seams; sew sleeves in. Sew on buttons. Steam garment through wet cloth with a hot iron.

TOWN ENSEMBLE

No. 508--Sizes 12-14-16

What You Need:

For Jumper:

BEEHIVE SCOTCH FINGERING, 3 Ply *(1 oz. skeins).*

Size 12 — 14 skeins. **Size 14** — 15 skeins. **Size 16** — 16 skeins.

A 29-inch circular knitting needle No. 3.

A 21-inch circular knitting needle No. 1.

For Pullover:

BEEHIVE FAIR ISLE SHETLAND *(1 oz. skeins).*

Size 12 — 5 skeins. **Size 14** — 6 skeins. **Size 16** — 7 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 2.

Shoulder pads.

JUMPER

Sizes	**12**	**14**	**16**
Measurements for Blocking Garment:			
Bust	32″	34″	36″
Top of shoulder to waist (center of ribbing)	15½″	16″	16½″
Across back at underarm	16″	17″	18″
Across each front at underarm	8″	8½″	9″
Underarm to waist (center of ribbing)	7″	7″	7½″
Length of skirt to waist (center of ribbing)	26″	26″	26″
Width at hem	56″	58″	60″

GAUGE: (PATTERN STITCH) 8 sts make 1 inch; 10 rnds make 1 inch.

PATTERN STITCH (a multiple of 2 sts) . . . 1st, 2nd and 3rd rows: K 1, p 1 alternately. **4th row:** P 1, k 1 alternately. Repeat these 4 rows for pattern.

Sizes	**12**	**14**	**16**
Starting at bottom of skirt, with No. 3 needle cast on	448 sts	464 sts	480 sts
Join, being careful not to twist sts, and work around in **Pattern Stitch** for 25 inches, ending with p 1 (at end of 3rd row of Pattern Stitch). Insert a marker in work to mark beginning of rnd.			
Change to No. 1 needle and work around as follows: * K 2 together twice; p 2 together twice. Repeat from * around. There are on needle	224 sts	232 sts	240 sts
Work tightly in ribbing of k 2, p 2, for 1½ inches, ending at marker. Remove marker and work in rib-			

Continued on page 36

PULLOVER

Sizes	**12**	**14**	**16**
Measurements for Blocking Garment:			
Bust	31″	33″	35″
Shoulder to lower edge	20″	20½″	21″
Across back or front at underarm	15½″	16½″	17½″
Side seam	13″	13″	13½″
Sleeve seam	11″	11″	11½″
Across sleeve at upperarm	12½″	13″	13″

GAUGE: 9 sts make 1 inch; 11 rows make 1 inch.

Sizes	**12**	**14**	**16**
FRONT . . . Starting at bottom, with No. 2 needles cast on	128 sts	136 sts	144 sts
Change to No. 1 needles and work tightly in ribbing of k 2, p 2, for 4 inches.			
Change to No. 2 needles and knit 1 row, increasing evenly across row to	140 sts	149 sts	158 sts
Work in stockinette st (purl 1 row, knit 1 row), until piece measures in all	13″	13″	13½″
To Shape Armholes: Bind off 8 sts at the beginning of the next 2 rows. Decrease 1 st at beginning of each row until there remain	116 sts	121 sts	126 sts
Work straight until piece measures from 1st row of armhole shaping	5½″	6″	6″
To shape neck, knit across first	36 sts	38 sts	40 sts
Bind off loosely for front of neck the next	44 sts	45 sts	46 sts
and finish row.			

Continued on page 36

Tailored knit jumper over a light-as-mist casual slipover... stunningly blended into a perfect costume.

CABLE RIB

No. 452--Sizes 12-14-16-18

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 3 Ply *(1 oz. skeins).*

Size 12 – 7 skeins. Sizes 14 and 16 – 8 skeins. Size 18 – 9 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 3.

Sizes	**12**	**14**	**16**	**18**
Measurements for Blocking Garment:				
Bust	**31″**	**33″**	**35″**	**37″**
Length from top of shoulder	**21″**	**21½″**	**22″**	**22½″**
Across back at underarm	**15″**	**16″**	**16½″**	**18″**
Across front at underarm	**16″**	**17″**	**18½″**	**19″**
Side seam	**14″**	**14½″**	**14½″**	**15″**
Sleeve seam	**4″**	**4″**	**4″**	**4″**
Across sleeve at upperarm	**12½″**	**13″**	**13½″**	**14″**

GAUGE: 8 sts make 1 inch; 10 rows make 1 inch.

Sizes	**12**	**14**	**16**	**18**

FRONT . . . With No. 1 needles cast on **134 sts** **140 sts** **146 sts** **152 sts**

Work in ribbing of k 1, p 1, for 2 inches.

Change to No. 3 needles and work in rib pattern as follows: **1st row:** P 2, * k 4, p 2. Repeat from * across. **2nd row:** K 2, * p 4, k 2. Repeat from * across. Repeat these two rows alternately until piece measures in all **3″** **3¼″** **3¾″** **4¼″**

Now work pattern as follows: **1st row:** With right side facing p 2, (k 4, p 2) 5 times; make a back cable over next 4 sts—*to make a back cable, slip the next 2 sts onto a double-pointed needle and hold in back of work, knit the next 2 sts, then knit the 2 sts from the double-pointed needle*—p 2, make a front cable over next 4 sts—*to make a front cable, slip the next 2 sts onto a double-pointed needle and hold in front of work, knit the next 2 sts, then knit the 2 sts from the double-pointed needle*—p 2,

then (k 4, p 2) **8 times** **9 times** **10 times** **11 times**

then make a back cable over next 4 sts, p 2, make a front cable over next 4 sts, p 2, (k 4, p 2) 5 times.

2nd and all even rows: K 2, * p 4, k 2. Repeat from * across. **3rd row:** P 2, * k 4, p 2. Repeat from * across. **5th row:** P 2, (k 4, p 2) 4 times; make a back cable over next 4 sts, p 2, (k 4, p 2) twice; make a front cable over next 4 sts, p 2, then (k 4, p 2)

6 times **7 times** **8 times** **9 times**

then make a back cable over next 4 sts, p 2, (k 4, p 2) twice; make a front cable over next 4 sts, p 2, (k 4, p 2) 4 times.

7th row: Same as 3rd row. **9th row:** P 2, (k 4, p 2) 3 times; make a back cable over next 4 sts, p 2, k 4, p 2, make a back cable over next 4 sts, p 2, make a front cable over next 4 sts, p 2, k 4, p 2, make a front cable over next 4 sts, p 2,

then (k 4, p 2) **4 times** **5 times** **6 times** **7 times**

then make a back cable over next 4 sts, p 2, k 4, p 2, make a back cable over next 4 sts, p 2, make a front cable over next 4 sts, p 2, k 4, p 2, make a front cable over next 4 sts, p 2, (k 4, p 2) 3 times.

11th row: Same as 3rd row. **13th row:** Same as 5th row. **15th row:** Same as 3rd row. **17th row:** P 2, (k 4, p 2) 3 times; make a back cable over next 4 sts, p 2, (k 4, p 2) 4 times; make a front cable over next 4 sts, p 2,

then (k 4, p 2) **4 times** **5 times** **6 times** **7 times**

then make a back cable over next 4 sts, p 2, (k 4, p 2) 4 times; make a front cable over next 4 sts, p 2 (k 4, p 2) 3 times.

18th row: K 2, * p 4, k 2. Repeat from * across. **19th row:** P 2, * k 4, p 2. Repeat from * across. Repeat 18th and 19th rows 7 more times. **34th row:** Same as 18th row. Repeat these 34 rows until piece measures **14″** **14½″** **14½″** **15″**

To Shape Armholes: Keeping continuity of pattern, bind off 6 sts at beginning of next 2 rows. Bind off 2 sts at beginning of next 6 rows. Decrease 1 st at end of each row until there remain **98 sts** **104 sts** **110 sts** **116 sts**

Work straight in pattern until 5 groups of cable patterns have been completed, and piece measures from 1st row of armhole shaping **5½″** **5½″** **6″** **6″**

To shape neck, work across first **30 sts** **32 sts** **34 sts** **36 sts**

Bind off loosely for front of neck, the next **38 sts** **40 sts** **42 sts** **44 sts**

and finish row.

Turn and work over last set of sts only in rib pattern until piece measures from 1st row of armhole shaping
7″ 7″ 7½″ 7½″
Bind off. Attach yarn at neck edge and work other side to correspond.

BACK . . . With No. 1 needles cast on
122 sts 128 sts 134 sts 140 sts
Work in ribbing of k 1, p 1, for 2 inches.

Change to No. 3 needles and work rib pattern as on Front, omitting cables until piece measures in all
14″ 14½″ 14½″ 15″

To Shape Armholes: Bind off 6 sts at beginning of next 2 rows. Decrease 1 st at end of each row until there remain 98 sts 104 sts 110 sts 116 sts

Work straight in rib pattern until piece measures from first row of armhole shaping
7″ 7″ 7½″ 7½″

Bind off for shoulder
30 sts 32 sts 34 sts 36 sts
Insert marker in work. Bind off loosely for back of neck the next 38 sts 40 sts 42 sts 44 sts
Insert another marker in work and bind off remaining sts for other shoulder (sts for back of neck will be picked up between markers).

Continued on page 35

SUN VALLEY SWEETHEART

No. 510--Sizes 12-14-16

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 4 Ply *(1 oz. skeins).*

Size 12 – 16 skeins of main color, 2 skeins of contrasting color.

Size 14 – 18 skeins of main color, 3 skeins of contrasting color.

Size 16 – 19 skeins of main color, 3 skeins of contrasting color.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 4 and 1 pair No. 8.

Sizes	**12**	**14**	**16**
Measurements for Blocking Garment:			
Bust	**33½″**	**35½″**	**37½″**
Across back or front at underarm	**16¾″**	**17¾″**	**18¾″**
Length from shoulder to lower edge	**20″**	**21½″**	**21½″**
Side seam	**13″**	**14″**	**14″**
Sleeve seam	**17″**	**17½″**	**17½″**
Across sleeve at upperarm	**13½″**	**14½″**	**15½″**

GAUGE: 5 sts make 1 inch; 7 rows make 1 inch. **Use double yarn throughout.**

PATTERN STITCH (a multiple of 10 sts plus 2 sts) . . . 1st row: P 2, * k 3, p 2. Repeat from * across. **2nd row:** K 2, * p 3, k 2. Repeat from * across. **3rd and 4th rows:** Repeat 1st and 2nd rows respectively. **5th row:** P 2, * k 1, attach a 2-yard strand of contrasting color (double yarn), k 1, drop contrasting color, pick up main color (twist the 2 colors around each other once to prevent making a hole), k 1, p 2, k 3, p 2. Repeat from * across. **6th row:** K 2, * p 3, k 2, p 1, drop main color, pick up contrasting color, p 1, drop contrasting color, pick up main color, p 1, k 2. Repeat from * across. **7th row:** Same as 5th row. **8th to 11th rows incl:** Repeat 2nd and 1st rows respectively. **12th row:** K 2, * p 1, attach a 2-yard strand of contrasting color (double yarn), p 1, drop contrasting color, pick up main color, p 1, k 2, p 3, k 2. Repeat from * across. **13th row:** P 2, * k 3, p 2, k 1, drop main color, pick up contrasting color, k 1, drop contrasting color, pick up main color, k 1, p 2. Repeat from * across. **14th row:** Same as 12th row. Repeat these 14 rows for pattern, always picking up contrasting color from last contrasting color st directly below and attaching additional strands as necessary. (Be careful not to draw work up too tightly when carrying yarn on wrong side.)

Sizes	**12**	**14**	**16**
BACK . . . With No. 4 needles and main color, cast on	**82 sts**	**82 sts**	**92 sts**
Work in **Pattern Stitch** for 3 inches. Change to No. 8 needles and continue in pattern until piece measures in all, ending with either the 3rd or 11th rows of pattern	**13″**	**14″**	**14″**
To Shape Armholes: Bind off 3 sts at beginning of next 2 rows. Decrease 1 st at end of each row until there remain	**62 sts**	**68 sts**	**72 sts**
Work straight in pattern until piece measures from 1st row of armhole shaping	**7″**	**7½″**	**7½″**
Bind off for shoulder	**21 sts**	**23 sts**	**24 sts**
Place a marker in work, bind off for back of neck, the next	**20 sts**	**22 sts**	**24 sts**
Place another marker in work, bind off for other shoulder the remaining	**21 sts**	**23 sts**	**24 sts**
FRONT . . . With No. 4 needles and main color cast on	**82 sts**	**92 sts**	**92 sts**
Work in **Pattern Stitch** for 3 inches. Change to No. 8 needles and continue in pattern until piece measures in all, ending with either the 3rd or 11th rows of pattern	**13″**	**14″**	**14″**
To Shape Armholes: With wrong side facing, bind off	**3 sts**	**4 sts**	**4 sts**
Knit across row decreasing evenly	**5 sts**	**7 sts**	**7 sts**
Next row: Bind off	**3 sts**	**4 sts**	**4 sts**
knit	**3 sts**	**6 sts**	**6 sts**
place a marker in work, knit across to within last	**3 sts**	**6 sts**	**6 sts**
place another marker in work and finish row.			
Now decrease 1 st at end of each row until there remain	**65 sts**	**69 sts**	**71 sts**

BUT AT THE SAME TIME

Work sts between markers in pattern as follows: **1st row:** Work across to marker, slip marker and p 2, attach contrasting color and p 1, drop contrasting color, pick up main color (be careful not to draw work up too tightly when carrying yarn on wrong side), p 2, drop main color, * pick up contrasting color, p 5, drop contrasting color, pick up main color, p 2, drop main color, pick up contrasting color, p 1, drop contrasting color, pick up main color, p 2, drop main color. Repeat from * across to marker, slip marker and finish row with main color. **2nd row:**

Continued on page 37

Aristocrat of the ski trails... a gorgeous heartwarmer
for your strenuous outdoor active sports life.

CALIFORNIA BASQUE

No. 448--Sizes 14-16-18-20

What You Need:

BEEHIVE FAIR ISLE SHETLAND *(1 oz. skeins).*

Size 14 — 2 skeins of Dark, 2 skeins of Medium and 2 skeins of Light.

Size 16 — 2 skeins of Dark, 3 skeins of Medium and 2 skeins of Light.

Sizes 18 and 20 — 3 skeins of Dark, 3 skeins of Medium and 3 skeins of Light.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 3.

Measurements for Blocking Garment:

Sizes	14	16	18	20
Bust	34″	36″	38″	40″
Length from shoulder to lower edge	21½″	21½″	22½″	22½″
Across back or front at underarm	17″	18″	19″	20″
Side seam	14½″	14½″	15″	15″
Sleeve seam	4½″	4½″	5″	5″
Across sleeve at upperarm	13″	13″	14″	14″

GAUGE: 8 sts make 1 inch; 10 rows make 1 inch.

Sizes	14	16	18	20
FRONT . . . With No. 1 needles and medium color, cast on	136 sts	144 sts	152 sts	160 sts
Work in ribbing of k 1, p 1, for 2 inches. Change to No. 3 needles and work in stockinette st (knit 1 row, purl 1 row) for 4 rows. Drop medium color, with Dark work 4 rows, drop Dark, with Light work 4 rows. Continue thus working 4 rows of each color until piece measures in all	14½″	14½″	15″	15″
completing a	Light Stripe	Light Stripe	Medium Stripe	Medium Stripe
To Shape Armholes: Bind off at beginning of next 2 rows	6 sts	7 sts	8 sts	9 sts
Decrease 1 st at end of each row until there remain	108 sts	112 sts	116 sts	120 sts
Work straight until piece measures 5 inches from 1st row of armhole shaping.				
To shape neck, work across	34 sts	36 sts	37 sts	39 sts
Bind off for front of neck	40 sts	40 sts	42 sts	42 sts
Work across remaining	34 sts	36 sts	37 sts	39 sts
Work over this last set of sts only until piece measures from 1st row of armhole shaping	7″	7″	7½″	7½″
Bind off.				

Attach yarn at opposite neck edge and work other side to correspond.

BACK . . . Work as for Front, omitting neck shaping until piece measures from 1st row of armhole shaping	7″	7″	7½″	7½″
Bind off for shoulder	34 sts	36 sts	37 sts	39 sts
Insert marker in work. Bind off loosely for back of neck the next	40 sts	40 sts	42 sts	42 sts

Insert another marker in work and bind off the remaining sts for other shoulder (sts for Back Neckband will be picked up between markers).

BACK NECKBAND . . . With right side facing, using No. 1 needles and medium color, pick up along back neck edge (between markers)	46 sts	46 sts	48 sts	48 sts

Work in ribbing of k 1, p 1, for 1 inch. Bind off loosely in ribbing.

FRONT NECKBAND . . . With right side facing, using No. 1 needles and medium color, pick up along neck edge	80 sts	80 sts	90 sts	90 sts

Work as for Back Neckband.

SLEEVES . . . With No. 1 needles and medium color, cast on	104 sts	104 sts	112 sts	112 sts
Work in ribbing of k 1, p 1, for 1 inch. Change to No. 3 needles and work stripes as on Front until piece measures in all	4½″	4½″	5″	5″
completing a	Light Stripe	Light Stripe	Medium Stripe	Medium Stripe
To shape top, bind off at beginning of next 2 rows	7 sts	7 sts	8 sts	8 sts
Decrease 1 st at end of each row until there remain	66 sts	66 sts	68 sts	68 sts
Bind off 3 sts at beginning of each row until there remain	12 sts	12 sts	14 sts	14 sts
Bind off.				

Block to measurements given. Sew shoulders and neckband. Fold neckband in half and whip bound-off sts down on wrong side, being careful to allow for head room. Sew underarm and sleeve seams. Sew in sleeves.

What Size, Please?

It's easy as a breeze, the new Beehive way . . . to knit to your *own* personal specifications. With Beehive's complete to-the-letter size ranges . . . you can be *sure*, when you slip your precious new sweater off the needles . . . that it's going to fit as if it were born right on your back!

TOPNOTCHER

No. 447--Sizes 14-16-18

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 4 Ply (*1 oz. skeins*).

Size 14 – 7 skeins of main color.

Size 16 – 8 skeins of main color.

Size 18 – 9 skeins of main color.

1 skein of a contrasting color for each size.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 2.

Sizes	**14**	**16**	**18**
Measurements for Blocking Garment:			
Bust	34″	36″	38″
Length from shoulder to lower edge	23″	25″	26″
Across back at underarm	16½″	18½″	18¾″
Across each front at underarm	8¾″	8¾″	9½″
Side seam	14″	15½″	16″

GAUGE: 8 sts make 1 inch; 10 rows make 1 inch.

Sizes	**14**	**16**	**18**
BACK . . . With main color, cast on	**132 sts**	**146 sts**	**150 sts**
Work in stockinette st (knit 1 row, purl 1 row) for	14″	15½″	16″
To Shape Armholes: Bind off 6 sts at beginning of next 2 rows. Bind off 2 sts at beginning of next 6 rows. Then decrease 1 st at end of each row until there remain	**96 sts**	**100 sts**	**104 sts**
Work straight until piece measures from 1st row of armhole shaping	8½″	9″	9½″
To shape shoulders, bind off 10 sts at beginning of next 4 rows. Bind off at beginning of next 2 rows	**11 sts**	**12 sts**	**12 sts**
Bind off for back of neck remaining	**34 sts**	**36 sts**	**40 sts**
LEFT FRONT . . . To prevent making a hole while working with 2 colors, twist the 2 colors around each other once. With main color, cast on	**70 sts**	**70 sts**	**77 sts**
1st row: With main color, knit	**62 sts**	**62 sts**	**69 sts**

drop main color, (with contrasting color k 1, drop C, pick up M, k 1) 4 times. This is front edge.

2nd row: (P 1 M, p 1 C) 4 times. With M, purl remaining	**62 sts**	**62 sts**	**69 sts**

Repeat these 2 rows alternately 4 more times. Break off C. Then, with main color, work straight in stockinette st for 10 rows. Repeat these 20 rows until piece measures in all, ending with a purl row,

	14″	15½″	16″
To Shape Armhole: Starting at side edge, bind off 8 sts once. Then bind off 2 sts at armhole edge every other row 3 times. Then decrease 1 st at armhole edge every other row	**5 times**	**5 times**	**7 times**

AT THE SAME TIME

Continue working pattern on front edge until there are made	**8 blocks**	**9 blocks**	**9 blocks**
Discontinue pattern and work straight until piece measures	15½″	17½″	17½″
Then shape neck as follows: Decrease 1 st at neck edge every 4th row	**7 times**	**5 times**	**5 times**
Then decrease 1 st at neck edge every 5th row	**7 times**	**7 times**	**11 times**

BUT

When piece measures from 1st row of armhole shaping, ending with a purl row,	5″	5½″	6″

work pattern as follows: (Be careful not to draw work up too tightly when carrying yarn on wrong side.) K 1 M, * (k 1 C, k 1 M) 3 times; k 1 C, k 7 M. Repeat from * once more, (k 1 C, k 1 M) 3 times; k 1 C, finish row with M.

2nd row: Purl across, using colors as they are on the needle. Continue in pattern as established until 10 rows have been completed.

11th row: K 8 M * (k 1 C, k 1 M) 3 times. K 1 C, k 7 M. Repeat from * once more, finish row with M.

12th row: Purl across, using colors as they are on

needle. Continue in pattern as just established until 20 rows of pattern yoke have been completed. **21st to 30th rows incl:** Same as 1st to 10th rows. Piece measures from 1st row of armhole shaping

	8½″	**9″**	**9″**

To shape shoulder, (discontinue pattern) bind off at armhole edge every other row 3 times

	9 sts	**10 sts**	**10 sts**
Bind off remaining	**10 sts**	**9 sts**	**10 sts**

RIGHT FRONT . . . Work to correspond with Left Front, reversing shapings.

POCKET (Make 2) . . . With M, cast on 41 sts. Work in stockinette st for 4 inches. Work pattern as follows: With M, k 3, * (k 1 C, k 1 M) 3 times; k 1 C, k 7 M. Repeat from * across, ending with k 3 M. **2nd row:** Purl across, using colors as they are on needle. Repeat these 2 rows alternately until 10 rows of pattern have been completed. Bind off in colors as they are on needle.

Block to measurements given. Sew shoulder and underarm seams. Work 2 rows of sc around edge of entire garment, across top of pockets and around armholes. Sew pockets on front ½ inch from lower edge and ¾ inch from front edge.

HEAVENLY TWINS

No. 450--Sizes 12-14-16-18

Pullover Directions Page 38

What You Need:

BEEHIVE REAL SHETLAND WOOL, 2 Ply *(1 oz. skeins).*

For Cardigan:

Sizes 12 and 14 – 9 skeins. **Size 16** – 10 skeins. **Size 18** – 11 skeins.

For Pullover:

Sizes 12 and 14 – 8 skeins. **Size 16** – 9 skeins. **Size 18** – 10 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 2 and 1 pair No. 5.

6 buttons for each size.

1¼ yards grosgrain ribbon, 1 inch wide, for each size.

CARDIGAN

Sizes	12	14	16	18
Measurements for Blocking Garment:				
Bust	31″	33″	35″	37″
Length from shoulder to lower edge	21″	21½″	22″	22½″
Across back at underarm	15½″	16½″	17½″	18½″
Across each front at underarm	8¼″	8¾″	9¼″	9¾″
Across back above armhole shaping	12½″	13″	13½″	14″
Side seam	14½″	14½″	15″	15″
Sleeve seam	18½″	19″	19″	19½″
Across sleeve at upperarm	12″	12½″	12½″	13½″

GAUGE: (STOCKINETTE STITCH) 6½ sts make 1 inch; 8 rows make 1 inch.

Sizes	12	14	16	18
BACK . . . Starting at bottom with No. 2 needles, cast on	102 sts	108 sts	114 sts	120 sts
Work tightly in ribbing of k 2, p 2, for 2 inches. Change to No. 5 needles and work in stockinette st (knit 1 row, purl 1 row) until piece measures in all, ending with a purl row,	14½″	14½″	15″	15″

Place markers at both ends of row to indicate ends of side seams. Work 4 more rows straight. Decrease for armholes as follows: **1st row:** K 2, slip next st, place the following st on a safety pin and hold in back of work; put slipped st back on left-hand needle and k 2 together. Put st held on safety pin back on left-hand needle, k 2 together. Knit across row to last 6 sts, slip next st, place following st on safety pin and hold in front of work. Knit next st, pass slipped st over knit st, slip the st held on safety pin onto right-hand needle, knit next st, pass slipped st over knit st, k 2. There remain on needle **98 sts 104 sts 110 sts 116 sts**

2nd row: Purl across. **3rd row:** Knit across. **4th row:** Purl across. Repeat these 4 rows until there remain on needle **82 sts 84 sts 90 sts 92 sts**

Work straight until piece measures in all **21″ 21½″ 22″ 22½″**

Bind off for shoulder **26 sts 27 sts 29 sts 30 sts**

place a marker in work, bind off for back of neck next **30 sts 30 sts 32 sts 32 sts**

place another marker in work, bind off for other shoulder **26 sts 27 sts 29 sts 30 sts**

LEFT FRONT . . . Starting at bottom, with No. 2 needles, cast on **54 sts 58 sts 62 sts 66 sts**

1st row: P 2, * k 2, p 2. Repeat from * across to last 4 sts, k 4 (front edge). **2nd row:** K 6, * p 2, k 2. Repeat from * across. Repeat 1st and 2nd rows alternately until piece measures 2 inches. Change to No. 5 needles and work in stockinette st, keeping the 4 sts at front edge in garter st, until piece measures in all, ending at side edge, **14½″ 14½″ 15″ 15″**

Place a marker in work to indicate end of side seam. Work 4 more rows straight. Decrease for armhole as follows: **1st row:** K 2, slip next st, place the following st on a safety pin and hold in back of work; put slipped st back on left-hand needle and k 2 together. Put st held on safety pin back on left-hand needle, k 2 together. Finish row. Work 3 rows straight. Repeat these 4 rows until there remain on needle **44 sts 46 sts 48 sts 50 sts**

Work straight until piece measures in all, ending at front edge, **19½″ 20″ 20½″ 20½″**

Bind off for front of neck **18 sts 19 sts 19 sts 20 sts**

Work straight over remaining
26 sts 27 sts 29 sts 30 sts
for **¾" ¾" ¾" 1¼"**

Now work in garter st (knit each row) for ¾ inch. Bind off.

RIGHT FRONT . . . Work to correspond with Left Front, reversing shapings and making a buttonhole 3 sts in from front edge when piece measures
2¼" 2½" 2½" 2"
and, measuring from 1st buttonhole, every
3½" 3½" 3½" 3¾"
thereafter until 5 buttonholes in all are made (the 6th buttonhole is made in the neckband) —*to make a buttonhole, on one row bind off 3 sts, and on next row cast on 3 sts to replace those bound off.*

NECKBAND . . . Sew up shoulder seams. With right side facing and No. 2 needles, pick up from Right Front neck edge to shoulder seam
32 sts 34 sts 34 sts 36 sts
pick up across back of neck
38 sts 38 sts 42 sts 42 sts
pick up from shoulder seam to Left Front neck edge
32 sts 34 sts 34 sts 36 sts

Work tightly for ¼ inch in ribbing of k 2, p 2, over these **102 sts 106 sts 110 sts 114 sts**

On next row make a buttonhole in line with previous buttonholes. Work straight until neckband measures ¾ inch. Bind off loosely in ribbing.

SLEEVES . . . Starting at wrist with No. 2 needles, cast on **58 sts 62 sts 62 sts 68 sts**

Continued on page 31

BALALAIKA

No. 454--Sizes 14-16-18

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 3 Ply *(1 oz. skeins).*

Sizes 14 and 16 – 9 skeins. **Size 18 – 10 skeins.**

ROYAL SOCIETY KNITTING PINS, 1 pair No. 2 and 1 pair No. 5.

Steel Crochet Hook No. 4.

Sizes	**14**	**16**	**18**
Measurements for Blocking Garment:			
Bust	33″	35″	37″
Across back or front at underarm	16½″	17½″	18½″
Length from shoulder to lower edge	20″	21″	21½″
Side seam	13″	13½″	14″
Sleeve seam	11½″	11½″	11½″
Across sleeve at upperarm	13″	14″	14″

GAUGE: 8 sts make 1 inch; 9 rows make 1 inch. Back and Front are worked in one piece—there is no seam at shoulders.

PATTERN STITCH (a multiple of 8 sts plus 2 sts) . . . 1st row: P 2, * k 1, p 1, make a cable over next 2 sts—*to make a cable, knit into the back of the 2nd st on left-hand needle, knit the first st, allow both sts to slip off left-hand needle,* p 1, k 1, p 2. Repeat from * across. **2nd row:** K 2, * p 1, k 1, p 2, k 1, p 1, cable over next 2 sts. Repeat from * across, ending with k 2. Repeat these 2 rows for pattern.

Sizes	**14**	**16**	**18**
Starting at bottom of Front with No. 2 needles, cast on	138 sts	146 sts	154 sts
Work in **Pattern Stitch** for 4 inches. Change to No. 5 needles and continue in pattern until piece measures in all	12″	12½″	13″
Next row: Work across	69 sts	73 sts	77 sts

Turn and work over this set of sts only for 1 inch, ending at side edge.

To Shape Armhole: Bind off at beginning of next row	13 sts	14 sts	16 sts
Work straight on remaining sts for	7″	7½″	7½″
Bind off at neck edge	22 sts	23 sts	23 sts

and finish row. Work 1 row, ending at neck edge, and break off yarn. Attach yarn and work other side to correspond.

Next row: Work across sts of one shoulder, cast on for back of neck	36 sts	38 sts	38 sts

and work across sts of other shoulder.

Next row: Work in pattern across, being sure to keep continuity of pattern across cast-on sts. Work straight until piece measures from back of neck	7″	7½″	7½″
Cast on at end of next 2 rows	13 sts	14 sts	16 sts
Work straight on	130 sts	138 sts	146 sts
until piece measures from cast-on sts	9″	9½″	10″

Change to No. 2 needles and work straight until Back measures same as Front. Bind off loosely, knitting the knit sts and purling the purl sts.

SLEEVES . . . With No. 2 needles cast on	74 sts	82 sts	82 sts

Work in **Pattern Stitch** for 1 inch. Change to No. 5 needles and work in pattern, increasing 1 st at both ends of next row and every 5th row thereafter until there are on needle 104 sts 112 sts 112 sts
Work straight until Sleeve measures 11½ inches in all.

To shape top, bind off 6 sts at beginning of next 2 rows. Bind off 2 sts at beginning of each row until there remain	68 sts	76 sts	76 sts
Work straight until piece measures 3 inches from beginning of top shaping. Now decrease 1 st at both ends of next row and every 3rd row thereafter 5 more times. Bind off 3 sts at beginning of each row until there remain	32 sts	34 sts	34 sts

Bind off.

Pin out lapels and press through damp cloth with hot iron. Sew side and sleeve seams. Sew in sleeves. Press seams lightly with hot iron through damp cloth.

EDGING . . . With wrong side of garment facing (right side of lapel), attach yarn at bottom of neck opening and, being sure to keep work flat, work * 3 sc, ch 3, sc in 3rd ch from hook. Repeat from * along side and top of lapel, work sc across back of neck (holding back of neck in to measure 4 inches), work along second lapel. Fasten off.

Peasant prettiness combined with dash and sophistication...
in a figure-fitting blouse with tiny scalloped V-revers.

ROSE O' THE RANCHO

No. 446--Sizes 12-14-16

What You Need:

BEEHIVE FAIR ISLE SHETLAND *(1 oz. skeins).*

Sizes 12 and 14 – 6 skeins. **Size 16** – 7 skeins.

1 skein of a contrasting color for each size.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 2.

Sizes	**12**	**14**	**16**
Measurements for Blocking Garment:			
Bust	31″	33″	35″
Length from shoulder to lower edge	21″	21½″	22″
Side seam	14″	14½″	14½″
Across back or front at underarm	15½″	16½″	17½″
Length of sleeve seam	4″	4″	4″
Across sleeve at upperarm	12½″	13″	13″

GAUGE: 9 sts make 1 inch; 11 rows make 1 inch.

Sizes	**12**	**14**	**16**
BACK . . . With No. 1 needles cast on	**140 sts**	**148 sts**	**160 sts**
Work tightly in ribbing of k 2, p 2, for 2 inches. Change to No. 2 needles and decrease 1 st at beginning of next row. Work in stockinette st (knit 1 row, purl 1 row) until piece measures in all, ending with a purl row,	14″	14½″	14½″
To Shape Armholes: Bind off at beginning of next 2 rows	**7 sts**	**8 sts**	**10 sts**
Decrease 1 st at the end of each row until there remain	**115 sts**	**119 sts**	**125 sts**
Turn and work straight until piece measures from 1st row of armhole shaping	7″	7″	7½″
Bind off for shoulder	**37 sts**	**38 sts**	**41 sts**
Insert a marker in work. For back of neck bind off loosely the next	**41 sts**	**43 sts**	**43 sts**

Insert another marker in work and bind off the remaining sts for other shoulder. (Stitches for back of neck will be picked up between markers.)

FRONT . . . Cast on and work exactly as for Back until piece measures in all, ending with a purl row,	15½″	16″	16″
Work pattern as follows: Divide contrasting color into 5 balls. **1st row:** Knit	**9 sts**	**11 sts**	**14 sts**

attach a ball of contrasting color and knit 3 sts, drop contrasting color, pick up main color (twist the two colors around each other once to prevent making a hole). Knit 7 main color, drop main color, pick up contrasting color (be careful not to pull yarn too tightly when carrying across on wrong side) and k 3 C, k 8 M, * attach another ball of contrasting color and k 3 C, k 7 M, k 3 C, k 8 M. Repeat from * across, ending with Main **k 9** **k 11** **k 14**

2nd row: With main color purl across **10 sts** **12 sts** **15 sts**
* p 3 C, p 5 M, p 3 C, p 10 M. Repeat from * across, ending with Main **p 10** **p 12** **p 15**

3rd row: With main color knit **10 sts** **12 sts** **15 sts**
* k 3 C, k 5 M, k 3 C, k 10 M. Repeat from * across. ending with Main **k 10** **k 12** **k 15**

4th row: Same as 2nd row. Starting with 5th row follow chart until figures are completed. Break off all



balls of contrasting color. Work straight until piece measures 5 inches from 1st row of armhole shaping.

Next row: Knit	**37 sts**	**38 sts**	**41 sts**
For front of neck bind off loosely the next	**41 sts**	**43 sts**	**43 sts**

Knit remaining sts.

Work over this last set of sts only until piece measures from 1st row of armhole shaping	7″	7″	7½″
Bind off for shoulder the remaining	**37 sts**	**38 sts**	**41 sts**

Attach yarn at opposite neck edge and work other side to correspond.

BACK NECKBAND . . . With right side facing and No. 1 needle, pick up 44 sts along back of neck. Work in ribbing of k 2, p 2, for 11 rows. Bind off in ribbing.

FRONT NECKBAND . . . With right side facing and No. 1 needle, pick up along front of neck

70 sts 70 sts 78 sts

Work in ribbing of k 2, p 2, for 11 rows. Bind off in ribbing.

SLEEVES . . . With No. 1 needles cast on

112 sts 116 sts 116 sts

Work tightly in ribbing of k 2, p 2, for 1 inch. Change to No. 2 needles and work in stockinette st until piece measures 4 inches in all.

To shape top, bind off 8 sts at beginning of next 2 rows. Decrease 1 st at end of each row until 76 sts remain. Bind off 3 sts at beginning of each row until 28 sts remain. Bind off.

Block to measurements given. Sew shoulder, underarm and sleeve seams. Sew in sleeves.

SNOWFLAKE SHETLAND

No. 509--Sizes 12-14-16-18

What You Need:

BEEHIVE REAL SHETLAND WOOL, 2 Ply *(1 oz. skeins).*

Sizes 12 and 14 – 7 skeins of Dark and 2 skeins of Light.

Size 16 – 8 skeins of Dark and 2 skeins of Light.

Size 18 – 9 skeins of Dark and 3 skeins of Light.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 4.

6 buttons.

1½ yards grosgrain ribbon, 1 inch wide.

Sizes	**12**	**14**	**16**	**18**
Measurements for Blocking Garment:				
Bust	31″	33″	35″	37″
Length from shoulder to lower edge	21″	21½″	22″	22½″
Across back at underarm	15½″	16½″	17½″	18½″
Across each front at underarm	8¼″	8¾″	9¼″	9¾″
Side seam	14½″	14½″	15″	15″
Sleeve seam	18″	18½″	18½″	19″
Across sleeve at upperarm	11½″	12″	12″	13″

GAUGE: (STOCKINETTE STITCH) 7 sts make 1 inch; 9 rows make 1 inch. (PATTERN STITCH) 8 sts make 1 inch; 9 rows make 1 inch.

PATTERN STITCH (a multiple of 8 sts) . . . When changing color, always pick up the new color from underneath the color yarn that is dropped, thus twisting yarns around each other to prevent making a hole. Be careful when carrying unused yarn across back of work not to draw it tightly. **1st row:** K 2 Light, * k 4 Dark, k 4 Light. Repeat from * across, ending row with k 4 Dark, k 2 Light. **2nd row:** P 2 Light, * k 4 Dark, p 4 Light. Repeat from * across, ending row with k 4 Dark, p 2 Light. **3rd row:** K 1 L, * k 2 D, k 2 L. Repeat from * across, ending row with k 2 D, k 1 L. **4th row:** P 1 L, * k 2 D, p 2 L. Repeat from * across, ending row with k 2 D, p 1 L. **5th row:** K 2 D, * k 4 L, k 4 D. Repeat from * across, ending row with k 4 L, k 2 D. **6th row:** K 2 D, * p 4 L, k 4 D. Repeat from * across, ending row with p 4 L, k 2 D. **7th and 8th rows:** Repeat 3rd and 4th rows. Repeat these 8 rows for Pattern Stitch.

Sizes	**12**	**14**	**16**	**18**
BACK . . . With No. 1 needles and dark color, cast on	**112 sts**	**116 sts**	**126 sts**	**130 sts**
Work in ribbing of k 2, p 2, for 2 inches. Change to No. 4 needles and work in stockinette st (knit 1 row, purl 1 row) until piece measures in all	**14½″**	**14½″**	**15″**	**15″**
To Shape Armholes: Bind off at beginning of next 2 rows	**6 sts**	**6 sts**	**7 sts**	**7 sts**
Decrease 1 st at end of each row until there remain	**88 sts**	**92 sts**	**96 sts**	**100 sts**
Work straight until piece measures from 1st row of armhole shaping	**6½″**	**7″**	**7″**	**7½″**
Bind off for shoulder	**29 sts**	**31 sts**	**32 sts**	**33 sts**
place a marker in work, bind off loosely for back of neck next	**30 sts**	**30 sts**	**32 sts**	**34 sts**
place another marker in work, bind off for other shoulder the remaining	**29 sts**	**31 sts**	**32 sts**	**33 sts**
LEFT FRONT . . . With No. 1 needles and dark color cast on	**62 sts**	**70 sts**	**70 sts**	**78 sts**
1st row: * K 2, p 2. Repeat from * to last 6 sts, k 6 (front border). **2nd row:** K 6 (front border), * k 2, p 2. Repeat from * across. Repeat these 2 rows alternately until piece measures 2 inches, ending at side edge. Change to No. 4 needles, attach light color and work in **Pattern Stitch.** Work the 6 sts of front border as before in garter st (knit each row) and use dark color. Continue thus until piece measures in all, ending at side edge	**14½″**	**14½″**	**15″**	**15″**
To Shape Armhole: Starting at side edge bind off	**5 sts**	**6 sts**	**6 sts**	**7 sts**
finish row.				
Keeping continuity of pattern, decrease 1 st at armhole edge every other row until there remain	**52 sts**	**55 sts**	**59 sts**	**62 sts**
Work straight until piece measures from 1st row of armhole shaping ending at front edge	**5″**	**5½″**	**5½″**	**5½″**

To shape neck, starting at front edge, bind off
19 sts 21 sts 23 sts 25 sts

Work straight in pattern over remaining
33 sts 34 sts 36 sts 37 sts
until piece measures from 1st row of armhole shaping
6½" 7" 7" 7½"
Bind off.

RIGHT FRONT . . . Work to correspond with Left Front, reversing shapings and making a buttonhole 2 sts in from front edge when piece measures
2½" 3" 3½" 3½"
and, measuring from the 1st buttonhole, (do not measure on the front band as garter st draws together) every 3½ inches thereafter, until 5 in all are made—*to make a buttonhole, on 1 row bind off 3 sts and on next row cast on 3 sts to replace those bound off* (the 6th buttonhole is made in the neckband).

SLEEVES . . . With No. 1 needles and dark color, cast on **60 sts 64 sts 64 sts 68 sts**

Work in ribbing of k 2, p 2, for 3½ inches. Change to No. 4 needles and work in stockinette st, increasing 1 st at both ends when piece measures 4½ inches in all, and on 1 row every inch thereafter until there are on needle **80 sts 84 sts 84 sts 92 sts**

Continued on page 37

SADDLE-STITCHED JACKET

No. 449--Sizes 12-14-16

What You Need:

BEEHIVE REAL SHETLAND WOOL, 2 Ply *(1 oz. skeins).*

Size 12 – 6 skeins. **Sizes 14 and 16** – 7 skeins.

1 skein of a contrasting color for each size.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 3.

4 buttons, 3/4 inch in diameter.

5 buttons, 7/8 inch in diameter.

Shoulder pads if desired.

Sizes	12	14	16
Measurements for Blocking Garment:			
Bust	31″	33″	35″
Length from shoulder to lower edge	22½″	23½″	24″
Across back at underarm	15½″	16½″	17½″
Across each front at underarm	9″	9½″	10″
Side seam	15″	15½″	16″
Sleeve seam	3″	3½″	4″
Across sleeve at upperarm	12½″	13″	13½″
Waist	24″	26″	28″
GAUGE: 7 sts make 1 inch; 11 rows make 1 inch.			
Sizes	12	14	16
BACK . . . With main color cast on	96 sts	104 sts	112 sts
1st row: * K 2, p 2. Repeat from * across. **2nd row:** Same as 1st row. **3rd row:** * P 2, k 2. Repeat from * across. **4th row:** Same as 3rd row. Repeat these 4 rows until piece measures in all	1½″	1½″	2″
Decrease 1 st at both ends of next row and thereafter every	9th row	8th row	8th row
until there remain	84 sts	90 sts	98 sts
Work straight until piece measures in all	8½″	8½″	9″
Increase 1 st at both ends of next row and every 4th row thereafter until there are on needle	108 sts	116 sts	124 sts
Work straight until piece measures in all	15″	15½″	16″
To Shape Armholes: Bind off at beginning of the next 2 rows	3 sts	4 sts	5 sts
Decrease 1 st at end of each row until there remain	90 sts	94 sts	98 sts
Work straight until piece measures from 1st row of armhole shaping	6½″	7″	7″
To shape shoulder, bind off 5 sts at beginning of each row until there remain	50 sts	54 sts	48 sts
Bind off at beginning of next 2 rows	6 sts	8 sts	5 sts
Bind off remaining 38 sts for back of neck.			
LEFT FRONT . . . With main color cast on	56 sts	60 sts	64 sts
Work straight in pattern until piece measures	1½″	1½″	2″
Decrease 1 st at underarm edge on next row and thereafter every	13th row	11th row	11th row
until there remain	52 sts	55 sts	59 sts
Work straight until piece measures in all	8½″	8½″	9″
Increase 1 st at underarm edge on next row and every 5th row thereafter until there are on needle	62 sts	66 sts	70 sts
Work straight until piece measures in all	15″	15½″	16″
To Shape Armhole: Bind off at armhole edge	3 sts	4 sts	5 sts
Decrease 1 st at armhole edge every other row until there remain	54 sts	56 sts	58 sts
Work straight until piece measures from 1st row of shaping at armhole	5″	5½″	5½″
To shape neck, starting at front edge, bind off 18 sts for lapel. Bind off 2 sts at neck edge every other row			

5 times. Work straight until piece measures from 1st row of armhole shaping	6½"	7"	7"
To shape shoulder, starting at armhole edge, bind off 5 sts every other row	4 times	4 times	5 times
Bind off remaining	6 sts	8 sts	5 sts

RIGHT FRONT . . . Work to correspond with Left Front, making a buttonhole when piece measures 4½" 4½" 5"

To make a buttonhole, work across 4 sts from front edge, bind off next 4 sts and cast on 4 sts on following row to replace those bound off. Hereafter make a buttonhole every 2½ inches (always measure from 1st buttonhole) until there are 5 buttonholes in all. Complete Right Front to correspond with Left Front.

COLLAR . . . Sew shoulder seams. With wrong side facing, pick up 42 sts across back of neck. Work in pattern, picking up 6 sts at end of each row until there are 102 sts on needle. Work straight for 2 inches. Bind off very loosely in pattern.

SLEEVES . . . With main color cast on	88 sts	92 sts	96 sts
Work straight in pattern for	3"	3½"	4"
To shape top, bind off at beginning of next 2 rows	5 sts	6 sts	7 sts

Continued on page 33

SUNBURST RAGLAN

No. 453--Sizes 12-14-16-18

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 3 Ply *(1 oz. skeins).*

Size 12 — 6 skeins. **Size 14** — 7 skeins. **Sizes 16 and 18** — 8 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 3.

4 small buttons for each size.

Sizes	12	14	16	18
Measurements for Blocking Garment:				
Bust	31″	33″	35″	37″
Across back or front at underarm	15½″	16½″	17½″	18½″
Length from shoulder to lower edge	19″	19½″	20″	20½″
Length from underarm to lower edge	12½″	12½″	13″	13″
Across sleeve at upperarm	12″	12½″	12½″	13″
Sleeve seam	4″	4½″	4½″	5″

GAUGE: (STOCKINETTE STITCH) 7½ sts make 1 inch; 10 rows make 1 inch.

Sizes	12	14	16	18
BACK . . . Starting at bottom with No. 1 needles, cast on	116 sts	124 sts	132 sts	140 sts

Work in ribbing of k 2, p 2, for 3 inches. Change to No. 3 needles and work in stockinette st (knit 1 row, purl 1 row) until piece measures in all 12½″ 12½″ 13″ 13″

To Shape Armholes: Bind off 6 sts at beginning of next 2 rows. Decrease 1 st at end of each row until



there remain **94 sts 98 sts 102 sts 106 sts**

Work straight until piece measures 4 inches from 1st row of armhole shaping, ending with a purl row. Change to No. 1 needles and, with right side facing, work as follows: **1st row:** P 2, * k 2, p 2. Repeat from * across. **2nd row:** K 2, * p 2, k 2. Repeat from * across. These 2 rows establish ribbed pattern. On next row work in pattern across
47 sts 49 sts 51 sts 53 sts

Turn and work in ribbing as established over these sts only until piece measures from 1st row of armhole shaping, ending with the 1st row,
7" 7½" 7½" 8"

Last row: K 2 together, * p 2 together, k 2 together. Repeat from * across. Then, purling 2 sts together, bind off, thus holding in neck edge. Attach yarn where sts were divided and work other half to correspond. Bind off as before.

FRONT . . . Work as for Back until piece measures 4 inches from 1st row of armhole shaping, ending with a purl row. Change to No. 1 needles and, with right side facing, work as follows: **1st row:** P 2, * k 2, p 2. Repeat from * across. **2nd row:** K 2, * p 2, k 2. Repeat from * across. Repeat last 2 rows alternately until piece measures from 1st row of armhole shaping
7" 7½" 7½" 8"

Work last row as on Back. Then, purling only 1 st at a time, bind off.

SLEEVES . . . Starting at bottom with No. 1 needles, cast on **90 sts 94 sts 94 sts 98 sts**

Work in ribbing of k 2, p 2, for 1 inch. Change to No. 3 needles and work in stockinette st until piece measures in all **4" 4½" 4½" 5"**

To shape top, bind off 6 sts at beginning of next 2 rows. Decrease 1 st at end of each row until 66 sts remain. Work straight until piece measures 4 inches from where the first 6 sts were bound off, ending with a purl row. Change to No. 1 needles and, with right side facing, work as follows: **1st row:** P 2, * k 2, p 2. Repeat from * across. **2nd row:** K 2, * p 2, k 2. Repeat from * across. Repeat last 2 rows alternately until piece measures from bound-off sts
7" 7½" 7½" 8"
Work last row as on Back and bind off as on Back.

Sew underarm and sleeve seams. Sew sleeves in, matching seams and ribbing of yoke. Work a row of sc along back opening, making four ch-3 loops evenly along right edge. Sew on buttons to correspond with button-loops. With right side facing work sc along neck edge, holding it in to fit. Press through damp cloth.

HEAVENLY TWINS No. 450

Continued from page 21

CARDIGAN

Work tightly in ribbing of k 2, p 2, for 4 inches. Change to No. 5 needles and work in stockinette st, increasing 1 st at both ends when piece measures 5 inches and thereafter every
8th row 9th row 9th row 10th row
until there are on needle
78 sts 82 sts 82 sts 88 sts

Work straight until piece measures in all
18½" 19" 19" 19½"

To shape top, place a marker at both ends of row and work as for armhole shaping of Back until there remain **58 sts 58 sts 58 sts 62 sts**

Work straight for ½ inch. Bind off.

Starting at markers and matching decreases, sew sleeves in. Sew underarm and sleeve seams with continuous seam. Cut 2 pieces of ribbon to measure
21" 21½" 22" 22"

Turn under ¼ inch at each end and baste to right side of both front edges including neckband. Machine stitch all around edges of ribbon. Cut buttonholes in ribbon to correspond with knitted buttonholes. With matching sewing thread, work buttonholes together with buttonhole stitch. Sew on buttons. Block to given measurements.

OPENING NIGHT

Illustrated on Cover

No. 456--Sizes 12-14-16-18

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 3 Ply *(1 oz. skeins).*

Size 12 – 8 skeins of main color.

Size 14 – 9 skeins of main color.

Sizes 16 and 18 – 10 skeins of main color.

1 skein of a contrasting color for each size.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 3 and 1 pair No. 5.

6 snap fasteners.

2 yards grosgrain ribbon, ½ inch wide.

Shoulder pads.

Sizes	**12**	**14**	**16**	**18**
Measurements for Blocking Garment:				
Bust	**31″**	**33″**	**35″**	**37″**
Across back at underarm	**15½″**	**16½″**	**17½″**	**18½″**
Across each front at underarm	**7¾″**	**8¼″**	**8¾″**	**9¼″**
Length from shoulder to lower edge	**20″**	**20½″**	**21″**	**21½″**
Side seam	**13″**	**13″**	**13½″**	**13½″**
Sleeve seam	**11″**	**11″**	**11½″**	**11½″**
Across sleeve at upperarm	**12½″**	**13″**	**13″**	**13½″**

GAUGE: 8 sts make 1 inch; 9 rows make 1 inch.

PATTERN STITCH (a multiple of 2 sts) . . . 1st row: K 1, * insert needle in the first st as if to purl and knit the 2nd st through the first st. Slip the 2nd st off the needle and knit in the back of the first st (thus crossing the 2 sts). Repeat from * across, ending with k 1. **2nd row:** Purl across. **3rd row:** K 2, * insert needle through next st and knit the following st, slipping it off the needle. Knit in the back of the first st on needle. Repeat from * across row. **4th row:** Purl across. Repeat these 4 rows for pattern.

Sizes	**12**	**14**	**16**	**18**
BACK . . . With No. 5 needles cast on	**112 sts**	**120 sts**	**128 sts**	**136 sts**
Work in **Pattern Stitch** for 5 inches. Increase 1 st at both ends of next row and thereafter every	**5th row**	**5th row**	**6th row**	**6th row**
until there are on needle	**124 sts**	**132 sts**	**140 sts**	**148 sts**
Work straight until piece measures in all	**13″**	**13″**	**13½″**	**13½″**
To Shape Armholes: Bind off at the beginning of the next 2 rows	**6 sts**	**7 sts**	**7 sts**	**8 sts**
Decrease 1 st at end of each row until there remain	**100 sts**	**104 sts**	**112 sts**	**116 sts**
Work straight until piece measures from 1st row of armhole shaping	**6½″**	**7″**	**7″**	**7½″**
To shape shoulders, bind off at beginning of next 4 rows	**10 sts**	**11 sts**	**12 sts**	**13 sts**
Bind off 12 sts at beginning of next 2 rows. Bind off remaining for back of neck.	**36 sts**	**36 sts**	**40 sts**	**40 sts**

LEFT FRONT . . . With No. 5 needles cast on	**40 sts**	**44 sts**	**48 sts**	**52 sts**
Work in **Pattern Stitch,** casting on 3 sts at end of 1st row (front edge) and every other row thereafter 2 more times; then increase 1 st at same edge every other row until there are on needle	**56 sts**	**60 sts**	**64 sts**	**68 sts**
Work straight in pattern until piece measures 5 inches in all. Increase 1 st at side edge on next row and thereafter every	**5th row**	**5th row**	**6th row**	**6th row**
until there are on needle	**62 sts**	**66 sts**	**70 sts**	**74 sts**
Work straight until piece measures in all	**13″**	**13″**	**13½″**	**13½″**
To Shape Armhole: Bind off at side edge once	**6 sts**	**7 sts**	**7 sts**	**8 sts**

Decrease 1 st at same edge every other row until there remain **50 sts 52 sts 56 sts 58 sts**

Work straight in pattern until piece measures from 1st row of armhole shaping
4½" 5" 5" 5½"

Change to No. 3 needles and continue in pattern until piece measures from 1st row of armhole shaping
6½" 7" 7" 7½"

To shape shoulder, bind off at armhole edge every other row twice **12 sts 13 sts 14 sts 15 sts**

Bind off at same edge once
14 sts 14 sts 16 sts 16 sts

Work in pattern over remaining 12 sts for neckband for **2¼" 2¼" 2½" 2½"**
Bind off.

RIGHT FRONT . . . Work to correspond with Left Front, being careful to reverse shapings.

SLEEVES . . . With No. 3 needles cast on
76 sts 80 sts 80 sts 86 sts

Work in **Pattern Stitch** for 2 inches. Change to No. 5 needles and continue working in pattern, increasing 1 st at both ends of next row and thereafter every
4th row 5th row 5th row 5th row
until there are on needle
100 sts 104 sts 104 sts 108 sts

Work straight until piece measures in all
11" 11" 11½" 11½"

To shape top, bind off at beginning of next 2 rows
6 sts 7 sts 7 sts 8 sts

Bind off 2 sts at beginning of each row until there remain **60 sts 62 sts 62 sts 68 sts**

Decrease 1 st at both ends of every 3rd row until 44 sts remain. Bind off 3 sts at beginning of each row until 20 sts remain. Bind off.

FINGER CORD . . . Divide contrasting color yarn into 6 balls each 23 yards long and tie ends together. Divide strands in two and make a loop close to knot. Draw loop out 1½ inches. Then, holding 3 strands in each hand and loop on index finger of right hand, * insert index finger of left hand in front of loop, and draw a loop of the 3 strands of left hand through; remove index finger of right hand. Then, holding strands of left hand and loop on index finger firmly, pull strands of right hand tightly. Now insert index finger of right hand in front of loop and draw a loop of the 3 strands of right hand through; remove index finger of left hand and, holding strands of right hand and loop on index finger firmly, pull strands in left hand tightly. Repeat from * to end of yarn.

Block pieces to measurements given. Sew shoulder seams, easing front shoulder in to fit back shoulder. Sew bound-off edges of front neckband together at center back. Sew lower edge of neckband to back of neck. Sew side seams and sleeve seams. Sew in sleeves.

With wrong side facing, starting at side seam of left front sew ribbon along entire edge of both fronts, ending at side seam of right front. Sew snap fasteners along front edge, having top one 1 inch below armhole and bottom one 4 inches from lower edge and four spaced-evenly between. Make a tissue paper pattern of right front and draw design for finger cord as in illustration. Make a tracing of this pattern for left front and use wrong side of tracing so that design will be reversed. Pin these patterns to garment and baste along design for finger cord. Break paper away and sew cord over basting, starting at back of neck with a small single leaf and continuing down one front, along lower edge of back and along other front, ending at back of neck with a corresponding leaf. Sew in shoulder pads.

SADDLE-STITCHED JACKET No. 449

Continued from page 29

Decrease 1 st at end of each row until there remain
66 sts 66 sts 70 sts

Decrease 1 st at both ends of every 4th row until there remain **46 sts 46 sts 50 sts**

Bind off 2 sts at beginning of each row until there remain **16 sts 16 sts 14 sts**
Bind off.

CUFFS . . . Starting at top, cast on
106 sts 110 sts 114 sts

Work in pattern, decreasing 1 st at end of each row until there remain **92 sts 96 sts 100 sts**
Work straight until piece measures 1¾ inches. Bind off.

POCKET (Make 2) . . . With main color, cast on 38 sts. Work in pattern for 4½ inches. Bind off loosely.

Block pieces to measurements given. Sew underarm and sleeve seams. With wrong side facing, work 1 row of sc around edges of jacket, pockets and cuffs. Sew cuffs on bottom of sleeves as in illustration so that seam is concealed when cuff is in place. Sew in sleeves easing in excess fullness in top 3 inches at shoulder. With contrasting color, work saddle stitching (running stitch ¼ inch on right side and ⅛ inch on wrong side) about ¼ inch in from edge. Starting at right underarm seam, work around bottom, right front edge, lapel, collar, down left front and across lower edge, ending at right underarm seam. Work saddle stitching around edges of pockets and cuffs. Sew on pockets 2½ inches from lower edge and about 2 inches from front edge. Sew buttons on left front to correspond with buttonholes on right front. Sew buttons on cuffs as in illustration. Sew in shoulder pads if desired.

LACY SOFT SWEATER No. 455

Continued from page 2

11th and 12th rows: Repeat 2nd, 1st and 2nd rows respectively. Repeat 5th to 12th rows incl for pattern.

Sizes	**12**	**14**	**16**
BACK . . . Cast on	**122 sts**	**130 sts**	**134 sts**
Work in ribbing of k 2, p 2, for 3½ inches. **Next row:** Purl across, increasing to	**125 sts**	**131 sts**	**137 sts**
Knit 1 row. Work in pattern until piece measures in all	**12″**	**12″**	**12½″**
To Shape Armholes: Bind off 6 sts at beginning of next 2 rows. Decrease 1 st at end of each row—*to decrease 1 st at end of row, knit the last 2 sts together (if one of these sts should be a yarn over, simply do not make yarn over, thereby decreasing 1 st)*—until there remain	**97 sts**	**103 sts**	**109 sts**
Work straight until piece measures from 1st row of armhole shaping	**6½″**	**7″**	**7″**
To shape shoulder, bind off at beginning of next 4 rows	**10 sts**	**11 sts**	**12 sts**
Bind off 12 sts at beginning of next 2 rows. For back of neck bind off the remaining	**33 sts**	**35 sts**	**37 sts**
FRONT . . . Cast on and work as for Back until piece measures ending with either the 8th or 12th row of pattern.	**11″**	**11″**	**11½″**
Next row: Work across and place a marker in work.	**43 sts**	**46 sts**	**49 sts**
Count across the next 39 sts and place another marker in work, then work across these sts as follows: P 2, * (increase 1 st in next st) twice—*to increase, purl into the front and then into the back of the same st,* p 1. Repeat from * across to marker, ending with p 1, increase 1 st in last st. Slip marker and finish row in pattern. There are on row	**150 sts**	**156 sts**	**162 sts**
Following row: Work in pattern across to marker and slip marker. Knit across to other marker and slip marker. Finish row in pattern. **Next row:** Work in pattern across to marker and slip marker, p 2, * k 2, p 2. Repeat from * across 31 sts from marker, increase 2 sts in next st. Turn. **Following row:** Work over this set of sts only as follows: * K 2, p 2. Repeat from * across to marker, ending with k 2, slip marker and finish row in pattern. **Next row:** Work in pattern across to marker and slip marker, * p 2, k 2. Repeat from * across, ending with p 2. Repeat the last 2 rows alternately until piece measures in all	**12″**	**12″**	**12½″**
To Shape Armhole: Bind off 6 sts at side edge once. Decrease 1 st at side edge every other row until there remain	**66 sts**	**70 sts**	**72 sts**
Work straight until piece measures 4 inches from 1st row of armhole shaping, ending with either the 8th or 12th row of pattern. **Next row:** Purl across to marker, slip marker and finish row in ribbing. **Following row:** Work in ribbing across to marker, remove marker, knit remainder of row.			
Next row:	**P 2, k 2**	**P 2, k 2**	**K 2**
* P 2, k 2. Repeat from * across.			
Work straight in ribbing until piece measures from 1st row of armhole shaping	**6½″**	**7″**	**7″**
To shape shoulder, bind off at armhole edge every other row, twice	**10 sts**	**11 sts**	**12 sts**
Bind off 12 sts at this edge once. For Collar work in ribbing over the remaining	**34 sts**	**36 sts**	**36 sts**
for	**2½″**	**2½″**	**3″**
Bind off.			
Attach yarn where sts were divided for neck opening, increase 2 sts and work to correspond with other side.			
SLEEVES . . . Cast on	**88 sts**	**92 sts**	**92 sts**
Work in ribbing of k 2, p 2, for 1¼ inches. **Next row:** Purl across, increasing to	**89 sts**	**95 sts**	**95 sts**
Knit 1 row. Work in **Pattern Stitch** until piece measures 4 inches in all.			
To shape top, bind off 6 sts at beginning of next 2 rows. Bind off 2 sts at beginning of each row until there remain	**61 sts**	**67 sts**	**67 sts**
Decrease 1 st at both ends of next row and every 3rd row thereafter until there remain	**39 sts**	**45 sts**	**45 sts**
Bind off 3 sts at beginning of each row until 15 sts remain. Bind off.			
Sew side, shoulder, and sleeve seams. Sew bound-off edges of collar together for center back. Sew lower edge of collar to back of neck. Sew in sleeves. Press seams lightly with hot iron through damp cloth.			

TWEED-KNIT JACKET No. 457

Continued from page 6

until piece measures in all, ending with 2nd row of a dark stripe	**15″**	**15″**	**15½″**	**15½″**
To Shape Armhole: With right side facing bind off 6 sts at beginning of next row. Work 3 rows straight. Bind off 3 sts at beginning of next row. Repeat the last 4 rows once more.				
BUT, AT THE SAME TIME				
When piece measures	**15″**	**15½″**	**16″**	**16½″**
Shape lapel as follows: Increase 1 st at front edge on next row and every 5th row thereafter 8 more times. Work straight until piece measures from 1st row of armhole shaping	**5″**	**5½″**	**5½″**	**6″**
With right side facing work across	**30 sts**	**33 sts**	**36 sts**	**39 sts**
Bind off the next 9 sts; place a marker in work and work in pattern across remainder of row. Turn and, working over this last set of sts only for top of lapel,				

work 1 row. **Next row:** Bind off 3 sts at beginning of row, finish row in pattern. Bind off 3 sts at same edge every other row thereafter 2 more times. Work 1 more row and bind off remaining sts.

Attach yarn at neck edge and work 2 rows straight. Bind off 3 sts at beginning of next row. Work 1 row straight. Bind off 3 sts at same edge once more. Work straight until piece measures from 1st row of armhole shaping **6½" 7" 7" 7½"**

To shape shoulder, bind off at armhole edge every other row twice **8 sts 9 sts 10 sts 11 sts** Bind off remaining sts.

RIGHT FRONT . . . Work to correspond with Left Front, making a buttonhole when piece measures **1½" 2" 1½" 2"**

To make a buttonhole work across 6 sts from front edge, bind off next 3 sts and cast on 3 sts on following row to replace those bound off. Buttonholes are repeated every **3¼" 3¼" 3½" 3½"** (always measure from 1st buttonhole) until there are 5 buttonholes in all.

When piece measures 5 inches, ending with 1st row of a dark stripe, work as follows: **Next row:** Purl across **6 sts 9 sts 9 sts 9 sts** bind off the next 35 sts, purl across remaining sts. **Following row:** Work as on Left Front. Complete Right Front to correspond with Left Front.

COLLAR . . . Starting at bottom with dark color, cast on 96 sts. Work in **Pattern Stitch** for 2 inches. Then bind off 6 sts at beginning of each row (do not work in pattern over sts which are being bound off) until 48 sts remain. Bind off.

SLEEVES . . . With dark color cast on **57 sts 63 sts 63 sts 69 sts**

Work in **Pattern Stitch** for 2 inches. Increase 1 st at both ends of next row and thereafter every **9th row 9th row 10th row 10th row** until there are on needle (count sts on a light stripe) **83 sts 89 sts 89 sts 95 sts** Work straight until sleeve measures in all, ending with the 2nd row of a dark stripe **16½" 17" 17½" 18"**

To shape top, bind off 6 sts at beginning of next 2 rows. Bind off 2 sts at beginning of next **8 rows 8 rows 8 rows 10 rows**

Work 3 rows straight, then decrease 1 st at both ends of next row and every 4th row thereafter **8 more times 8 more times 8 more times 9 more times**

Bind off 3 sts at beginning of each row until 19 sts remain. Bind off.

Block pieces to measurements given.

To Make Patterns for Fabric: Make a tracing of one front along shoulder, neck edge, front and bottom edges. Mark 1½ inches on shoulder line from neck edge and on bottom line 3½ inches from front edge. Connect these 2 points with a line. Make an "x" on tracing to correspond with marker at neck edge. Make a tracing of collar. Make a pattern for sleeve facing 2 inches deep and long enough to go around the bottom of sleeve and one for pocket flap 3 inches deep and 5 inches long. Lay patterns on fabric and, allowing ½ inch seam allowance on all edges, cut 2 pieces each for front facings, sleeve facings and pocket flaps and 1 piece for collar. Mark point "x" on front facings.

To Assemble: Sew shoulder and side seams of jacket. Sew curved edge of knitted collar to jacket between markers, having right side of collar underneath. Sew sleeve seams and sew in sleeves. Sew pocket linings in place.

Sew curved edge of fabric collar to neck edge of front facings, starting at "x." Turn in seam allowance all around front facings and sew to corresponding parts of jacket with invisible stitches. Cut buttonholes in facing to correspond with those in knitting and sew edges together. Fold pocket flap; stitch around raw edges and turn to right side. Sew flaps to jacket just above pocket openings. Turn in seam allowance on sleeve facing and sew to inside of sleeve with invisible stitches. Sew on buttons and sew shoulder pads in place.

CABLE RIB No. 452

Continued from page 13

BACK NECKBAND . . . With right side facing and No. 1 needles, pick up along back neck edge (between markers) **44 sts 46 sts 48 sts 50 sts** Work in ribbing of k 1, p 1, for 8 rows. Bind off loosely in ribbing.

FRONT NECKBAND . . . With right side facing using No. 1 needles, pick up along sides and front of neck **64 sts 66 sts 68 sts 70 sts** Work as for Back Neckband.

SLEEVES . . . With No. 1 needles cast on **98 sts 104 sts 110 sts 116 sts** Work in ribbing of k 1, p 1, for 8 rows. Change to No. 3 needles.

1st row: P 2, * k 4, p 2. Repeat from * across. **2nd row:** K 2, * p 4, k 2. Repeat from * across. Repeat these 2 rows until piece measures 4 inches in all.

To shape top, bind off 6 sts at beginning of next 2 rows. Bind off 2 sts at beginning of each row until there remain **70 sts 76 sts 78 sts 80 sts**

Now decrease 1 st at each end of every 4th row until there remain **56 sts 64 sts 66 sts 68 sts**

Bind off 4 sts at beginning of next **8 rows 10 rows 10 rows 10 rows** Bind off remaining **24 sts 24 sts 26 sts 28 sts**

Block to measurements given. Sew shoulder, underarm and sleeve seams. Sew in sleeves.

JUMPER No. 508

Continued from page 10

bing across next **57 sts 57 sts 61 sts**
(ending with k 1). Insert marker in work (center front).

Knit 1 rnd, increasing **32 sts 40 sts 48 sts**
evenly around by increasing in first st and thereafter
in approximately every **7th st 6th st 5th st**
around until there are on needle
256 sts 272 sts 288 sts

Change to No. 3 needle and, starting at center front, work in **Pattern Stitch** for 4 rnds, ending at center front. Turn. Hereafter work is done in rows. **1st row:** K 1, p 1 alternately to last st. Increase 1 st in last st. Turn. **2nd row:** P 1, k 1 alternately, ending with p 1. **3rd, 4th and 5th rows:** K 1, p 1 alternately, ending with k 1.

Repeat the last 4 rows until piece measures from top
of ribbing **6½" 6½" 7"**

Next row: Work in pattern for one front across
49 sts 53 sts 57 sts
Bind off for underarm the next 17 sts, work in pattern
for Back across next **125 sts 133 sts 141 sts**
Bind off 17 sts for other underarm and finish row.

Turn and work over the last set of sts only for one front, decreasing 1 st at armhole edge every other row until there remain **41 sts 43 sts 45 sts**

Work straight until piece measures from top of rib-
bing **14" 14½" 15"**
ending at armhole edge.

To shape shoulder, bind off 8 sts at armhole edge every other row 4 times. Work 1 row. Bind off the remaining **9 sts 11 sts 13 sts**

Attach yarn to sts of Back and work in pattern, decreasing 1 st at beginning of each row until there remain **113 sts 117 sts 121 sts**

Work straight until piece measures from top of rib-
bing **14" 14½" 15"**

To shape shoulders, bind off 8 sts at beginning of next 8 rows. Bind off at beginning of next 2 rows
9 sts 11 sts 13 sts
Bind off for back of neck the last 31 sts.

Attach yarn at armhole edge of other front and work to correspond with first front.

Pin jumper out to measurements given and steam lightly with hot iron through wet cloth, being careful not to stretch waist ribbing. Sew shoulder seams. With right side facing, starting at right shoulder seam, work 1 rnd of sc across back of neck and along front edges, being careful not to stretch edges and decreasing at center front to retain sharp point. **Next rnd:** Sc in 3 sc, * ch 3, sl st in last sc (p made), sc in next 3 sc. Repeat from * around, decreasing at point as before. Work 2 rnds of crochet around armholes in same way.

CORD . . . Cut twenty-four 6-yard strands of yarn. Twist these strands together very tightly, then double the twisted strands and give them a 2nd twist in the opposite direction. Knot raw end and trim.

TASSEL (Make 2) . . . Cut a cardboard 8 x 5 inches. Lay a 10-inch double strand of yarn along the 5-inch width of cardboard, then wind double yarn 70 times around the length of cardboard, over the 10-inch strand. Slip off cardboard and tie the ends of 10-inch strand together tightly. Wind double yarn several times around all strands of tassel about 1 inch from top and fasten securely. Cut loops at bottom of tassel and trim evenly. Sew one tassel at each end of cord, adjusting length of cord as desired.

PULLOVER No. 508

Continued from page 10

Turn and work over the last set of sts only for shoulder for 1 inch. To shape shoulder, bind off every other row twice, beginning at armhole edge
9 sts 9 sts 10 sts

Bind off at same edge every other row twice
9 sts 10 sts 10 sts
Attach yarn to sts of other shoulder and work to correspond.

BACK . . . Work same as Front, but omitting neck shaping, until piece measures from 1st row of armhole shaping **6½" 7" 7"**

To shape shoulders, bind off at beginning of next 4 rows **9 sts 9 sts 10 sts**

Bind off at beginning of following 4 rows
9 sts 10 sts 10 sts
Bind off remaining sts loosely for back of neck.

SLEEVES . . . With No. 2 needles cast on
96 sts 100 sts 104 sts
Change to No. 1 needles and work tightly in ribbing of k 2, p 2, for 2 inches.

Change to No. 2 needles and knit 1 row, increasing evenly across to **111 sts 115 sts 119 sts**

Work in stockinette st until piece measures in all
11" 11" 11½"

To shape top, bind off 8 sts at the beginning of next 2 rows. Decrease 1 st at beginning of each row until there remain **49 sts 49 sts 53 sts**

Decrease 1 st at both ends of next
12 rows 10 rows 12 rows
Bind off the remaining sts.

FRONT NECKBAND . . . With right side facing, using No. 1 needles, pick up 80 sts around sides and front of neck. Work in ribbing of k 2, p 2, for 1¼ inches. Bind off very loosely in ribbing.

BACK NECKBAND . . . With right side facing, using No. 1 needles pick up 56 sts across back of neck. Work same as Front Neckband.

Block pieces to measurements given. Sew shoulder, side and sleeve seams. Sew in sleeves, easing in very slightly all around armholes. Sew in shoulder pads.

SUN VALLEY SWEETHEART No. 510

Continued from page 14

With main color, knit across to marker, slip marker, k 1, * k 3 C, p 2 M. Repeat from * across to marker, ending with k 1 M, slip marker and finish row with M. **3rd row:** With M purl across to marker, slip marker, p 5 C, * p 2 M, p 1 C, p 2 M, p 5 C. Repeat from * across to marker, slip marker and finish row with M. Knit 2 rows with main color, slipping markers and continuing armhole shaping. *On sizes 14 and 16 only,* work 2 rows in stockinette st (knit 1 row, purl 1 row). *On all sizes,* remove markers and work ski man as follows: **1st row:** With main color, knit

46 sts 48 sts 49 sts

drop main color, attach contrasting color, k 3, drop contrasting color, pick up main color and finish row.

2nd row: With main color purl

18 sts 20 sts 21 sts

p 3 C, p 5 M, p 3 C, finish row with M.

3rd row: With main color knit

34 sts 36 sts 37 sts

K 3 C, k 5 M, k 3 C, finish row with M.

Starting with 4th row follow chart to top. Then break off contrasting color and with main color work straight in stockinette st until piece measures from 1st row of armhole shaping **5½" 6" 6"**



Next row: Work across **21 sts 23 sts 24 sts**

Bind off 23 sts for front of neck, work across the remaining **21 sts 23 sts 24 sts**

Turn and work over this last set of sts only until piece measures from 1st row of armhole shaping

7" 7½" 7½"

Bind off.

Attach yarn at neck edge and work other shoulder to correspond.

COLLAR . . . Sew right shoulder seam. With right side facing, using main color and No. 4 needles, pick up all around neck edge **84 sts 88 sts 92 sts**

Work in ribbing of k 2, p 2, for 1 inch.

Next row: With right side of garment facing, * increase 1 st in next st, k 1, p 2. Repeat from * across. **Following row:** * K 2, p 3. Repeat from * across. **Next row:** * K 3, p 2. Repeat from * across. Repeat the last 2 rows alternately until Collar measures 4 inches in all. Bind off loosely in ribbing.

SLEEVES . . . With No. 4 needles and main color, cast on **42 sts 42 sts 52 sts**

Work in **Pattern Stitch** for 2 inches.

Change to No. 8 needles and continue in pattern, increasing 1 st at both ends of next row and thereafter every **7th row 6th row 7th row**

until there are on needle **68 sts 72 sts 78 sts**

Work straight until piece measures in all

17" 17½" 17½"

To shape top, bind off 3 sts at beginning of next 2 rows. Bind off 2 sts at beginning of each row until there remain **50 sts 50 sts 56 sts**

Work straight until piece measures from 1st row of top shaping **3" 3½" 3½"**

Then decrease 1 st at end of next 6 rows. Bind off 3 sts at beginning of each row until 20 sts remain. Bind off.

Sew left shoulder and neckband seam. Sew side and sleeve seams. Sew in sleeves.

SNOWFLAKE SHETLAND No. 509

Continued from page 27

Work straight until piece measures in all

18" 18½" 18½" 19"

To shape top, bind off at beginning of next 2 rows

5 sts 6 sts 6 sts 7 sts

Decrease 1 st at end of each row until 58 sts remain. Bind off 2 sts at beginning of each row until 46 sts remain. Bind off 3 sts at beginning of each row until 22 sts remain. Bind off.

Block pieces to measurements given, being careful not to flatten pattern of fronts. Sew shoulder seams (from markers on back to armhole edges).

NECKBAND . . . With right side facing and No. 1 needles, using dark color, pick up evenly along entire neckline **130 sts 138 sts 138 sts 146 sts**

Work in ribbing of k 2, p 2, making a buttonhole (bind off 4 sts, instead of 3, and cast on 4 sts on next row) in line with previous buttonholes when band measures ¼ inch. Continue in ribbing until band measures ¾ inch. Bind off loosely in ribbing.

Sew underarm and sleeve seams. Sew sleeves in. Cut 2 pieces of ribbon each **21" 21½" 22" 22"**

Turn under ¼ inch on both ends of each piece. Baste ribbon to right side of both front borders (including neckband) and machine stitch in place all around edges of ribbon. Cut buttonholes in ribbon to correspond with knitted buttonholes; with matching thread work buttonholes together with buttonhole stitch. Sew on buttons.

PULLOVER No. 450

Illustrated on page 21

Sizes	12	14	16	18
Measurements for Blocking Garment:				
Bust	30″	32″	34″	36″
Length from shoulder to lower edge	20½″	21″	21½″	22″
Across back or front at underarm	15″	16″	17″	18″
Side seam	14½″	14½″	15″	15″
Sleeve seam	17½″	18″	18″	18½″
Across sleeve at upperarm	11½″	12″	12″	13″

GAUGE: (STOCKINETTE STITCH) 6½ sts make 1 inch; 8 rows make 1 inch.

Sizes	12	14	16	18
FRONT . . . Starting at bottom with No. 2 needles, cast on	98 sts	104 sts	112 sts	118 sts
Work tightly in ribbing of k 2, p 2, for 2 inches. Change to No. 5 needles and work in stockinette st (knit 1 row, purl 1 row) until piece measures in all, ending with a purl row,	14½″	14½″	15″	15½″
Place markers at both ends of row to indicate ends of side seams. Work 4 more rows straight. Decrease for armholes as follows: **1st row:** K 2, slip next st, place the following st on a safety pin and hold in back of work; put slipped st back on left-hand needle and k 2 together. Put st held on safety pin back on left-hand needle, k 2 together. Knit across row to last 6 sts, slip next st, place following st on safety pin and hold in front of work. Knit next st, pass slipped st over knit st, slip the st held on safety pin onto right-hand needle, knit next st, pass slipped st over knit st, k 2. There remain on needle	94 sts	100 sts	108 sts	110 sts
2nd row: Purl across. **3rd row:** Knit across. **4th row:** Purl across. Repeat these 4 rows until there remain on needle	78 sts	80 sts	88 sts	90 sts
Work straight until piece measures in all, ending with a purl row,	19″	19½″	20″	20″
Next row: Knit	24 sts	25 sts	28 sts	29 sts
bind off loosely for front of neck next	30 sts	30 sts	32 sts	32 sts
Knit remaining	24 sts	25 sts	28 sts	29 sts
Work over this last set of sts only for	¾″	¾″	¾″	1¼″
Now work in garter st (knit each row) for ¾ inch. Bind off. Attach yarn at opposite side of neck edge and work to correspond.				
BACK . . . Work as for Front until there remain on needle	78 sts	80 sts	88 sts	90 sts
Work straight until piece measures in all	20½″	21″	21½″	22″
Bind off for shoulder	24 sts	25 sts	28 sts	29 sts
place a marker in work, bind off for back of neck next	30 sts	30 sts	32 sts	32 sts
place another marker in work, bind off for other shoulder	24 sts	25 sts	28 sts	29 sts
BACK NECKBAND . . . With right side facing and No. 2 needles, pick up between markers	36 sts	36 sts	40 sts	40 sts
Work tightly in ribbing of k 2, p 2, for ¾ inch. Bind off loosely in ribbing.				
FRONT NECKBAND . . . With right side facing and No. 2 needles, pick up along front neck edge	56 sts	60 sts	60 sts	64 sts
Work as for Back Neckband. Bind off loosely in ribbing. Sew up shoulder and neckband seams.				
SLEEVES . . . Starting at wrist with No. 2 needles, cast on	60 sts	64 sts	64 sts	68 sts
Work tightly in ribbing of k 2, p 2, for 3 inches, decreasing 6 sts evenly across last row. There remain	54 sts	58 sts	58 sts	62 sts
Change to No. 5 needles and work in stockinette st, increasing 1 st at both ends when piece measures 4 inches in all and thereafter every	8th row	9th row	9th row	9th row
until there are on needle	74 sts	78 sts	78 sts	84 sts
Work straight until piece measures in all	17½″	18″	18″	18½″
To shape top, place a marker at both ends of row and work as for armhole shaping of Back until there remain	54 sts	54 sts	54 sts	56 sts
Work straight for ½ inch. Bind off.				

Starting at markers and matching decreases, sew sleeves in place. Sew underarm and sleeve seams with continuous seam. Block to given measurements.

Hints to Help You

GAUGE . . . Before starting your article, knit a small swatch to be sure you obtain the gauge given in the directions. The needles specified are based on the average knitter's work. If you do not obtain the correct gauge with the needle size specified, change to a larger or smaller size, as necessary. The change in needle size will in no way change the garment as long as you follow the directions and maintain the specified gauge.

BLOCKING . . . With rust-proof pins, pin pieces wrong-side-up on Turkish towels, following *Measurements For Blocking Garment* given at beginning of directions. Ribbing must not be stretched. Press with a moderately hot iron through a damp cloth, taking care not to rest weight of iron on pieces. Remove pins when pieces are dry; then sew them together as directed. To block socks, draw sock over metal or wooden sock drier and press through a wet cloth. Let dry thoroughly.

SEWING A GARMENT . . . After pieces are blocked, place right sides of pieces together and pin edges. Sew with small back stitches about ¼ inch in from edge, making sure the length of seam corresponds with that given in directions. Press seams open. Match stripes wherever possible, easing in any fullness. Sew a narrow tape across shoulder seams to avoid stretching.

LAUNDERING . . . Before laundering, notate carefully—on paper—all important measurements. Using a neutral soap or soap flakes, dissolved in lukewarm water, squeeze the suds through the article; do not rub or wring. Rinse several times in clear water, always keeping garment well supported in hands. Roll garment in Turkish towels to absorb excess moisture. Then remove garment and pin to required measurements on a flat surface. Allow to dry. Press gently, if necessary, using a damp cloth.

BUY SUFFICIENT YARN . . . It is impossible to avoid slight variations in color in different dye lots. Therefore, make sure to buy, at one time, sufficient material of the same dye lot number to complete the article you are making.

WINDING YARN FROM A SKEIN . . . To preserve the natural elasticity of wool while winding, care should be taken to avoid stretching. We therefore suggest the following method: Wind yarn several times around four fingers. Remove strands and, placing them in the opposite direction, continue winding over these strands and fingers several times. Repeat this operation until entire skein is wound.

ABBREVIATIONS . . . k—knit; p—purl; st—stitch; ch—chain; sc—single crochet; sl st—slip stitch.

* (asterisk) . . . When this symbol occurs, continue working until directions refer you back to this symbol.

Directions in parentheses should be repeated as many times as directed. For instance: "(P 3, k 6) 3 times" means to repeat the directions in parentheses 3 times.

Increasing: To increase a stitch, knit one stitch in regular way, but without slipping the stitch off the left needle; then knit another stitch through the back of the same stitch and slip off.

Decreasing: To decrease a stitch, knit two together.

Yarns
by Beehive
Made by
PATONS & BALDWINS, INC.
Distributed by
ROYAL SOCIETY, INC.
230 FIFTH AVE., NEW YORK, N. Y.
BEEHIVE